

Table 17.2a. Relative standard errors (%) of total above-ground biomass on forest land by forest type, age class and boreal zone in Canada.

Boreal zone	Forest type	Age (years)											
		1-20	21-40	41-60	61-80	81-100	101-120	121-140	141-160	161-180	181-200	201+	Other ¹
Non-boreal	Treed Mixedwood	8.1	4.6	3.8	3.9	4.6	10.9	10.5	17.2	23.3	38.9	30.8	0.0
	Treed Coniferous	7.1	5.1	6.2	5.8	4.9	5.5	5.3	6.1	7.1	6.9	4.1	0.0
	Treed Broadleaf	8.3	5.1	4.4	5.0	5.0	10.3	14.2	18.6	49.8	41.4	34.9	0.0
	Non-treed	32.0	60.6	58.4	49.4	73.8	92.6	86.0	100.0	0.0	100.0	0.0	4.9
Boreal	Treed Mixedwood	5.5	4.4	4.4	3.9	3.4	4.7	5.8	11.3	20.9	45.5	40.2	0.0
	Treed Coniferous	5.0	3.1	2.6	2.3	2.1	2.2	2.2	3.9	7.8	13.2	9.2	0.0
	Treed Broadleaf	7.1	5.2	5.4	4.4	4.4	6.3	14.0	21.6	44.5	55.6	67.9	0.0
	Non-treed	28.3	36.2	40.0	33.0	33.4	41.7	36.0	36.3	71.0	0.0	0.0	3.4
Canada	Treed Mixedwood	4.6	3.2	2.9	2.8	2.8	4.6	5.1	9.6	16.5	32.2	25.2	0.0
	Treed Coniferous	4.1	2.7	2.6	2.2	1.9	2.0	2.1	3.3	5.2	6.1	3.8	0.0
	Treed Broadleaf	5.4	3.7	3.5	3.3	3.3	5.4	11.2	16.0	33.7	33.8	32.4	0.0
	Non-treed	24.3	33.9	35.1	32.6	33.4	41.7	36.0	36.3	71.0	100.0	0.0	2.8

Source: Canada's National Forest Inventory, **combined remeasured (2007-2017) and projected (2006-2017 with NFI projection system) data (Version 1, August 2021)** (<http://nfi.nfis.org>)

Note: The Non-boreal zone in the Arctic ecozones (Arctic Cordillera, Northern Arctic, Southern Arctic) are not inventoried. The total land and water area amounts to approximately 252,202.08 thousand ha.

¹Missing or unknown age class.