

Table 18.0a. Relative standard errors (%) of total above-ground biomass on forest land by species group and age class in Canada.

Species group	Age (years)											
	1-20	21-40	41-60	61-80	81-100	101-120	121-140	141-160	161-180	181-200	201+	Other ¹
Unclassified	63.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8
Unspecified hardwoods	8.2	12.1	17.6	50.3	23.0	65.6	95.1	0.0	0.0	0.0	0.0	80.0
Other hardwoods	22.5	13.0	12.1	10.0	13.9	23.9	39.1	48.0	58.0	94.5	53.0	72.7
Maple	17.4	8.8	5.7	6.0	6.5	11.8	29.2	35.5	74.7	0.0	78.4	82.2
Birch	7.2	5.2	5.1	4.9	5.2	11.0	14.5	26.2	39.2	56.2	62.7	41.8
Poplar	5.9	3.8	4.0	3.5	3.7	5.9	9.0	14.7	29.3	31.3	34.8	45.7
Unspecified conifers	6.8	7.3	17.6	31.1	29.0	0.0	0.0	0.0	0.0	0.0	0.0	60.6
Cedar & other conifers	25.0	15.6	14.9	13.0	9.7	12.4	14.0	29.2	25.9	21.9	8.3	100.0
Larch	16.3	6.6	6.0	5.8	7.8	8.6	10.2	14.2	24.1	38.4	26.0	62.7
Douglas-fir	26.4	25.1	20.5	20.7	13.4	11.7	12.5	12.6	15.5	17.9	14.7	0.0
Hemlock	21.4	15.9	15.7	20.2	17.0	16.9	14.7	21.6	16.5	24.1	6.2	0.0
Fir	10.2	5.0	4.3	5.3	4.6	7.7	7.2	9.1	10.2	10.8	6.7	50.7
Pine	6.4	4.1	4.7	4.5	4.6	5.6	6.3	8.9	13.6	16.7	12.9	40.8
Spruce	6.7	3.3	2.7	2.2	2.0	2.1	2.2	3.6	6.7	9.4	6.2	19.0

Source: Canada's National Forest Inventory, **combined remeasured (2007-2017) and projected (2006-2017 with NFI projection system) data (Version 1, July 2021)** (<http://nfi.nfis.org>)

Note: The Arctic ecozones (Arctic Cordillera, Northern Arctic, Southern Arctic), and the Taiga Plains and Hudson Plains ecozones located in Nunavut, are not inventoried. These non-inventoried areas total 262,189.89 thousand ha.

¹ Missing or unknown age class.