

Table 17.0a. Relative standard errors (%) of total above-ground biomass on forest land by forest type and age class in Canada.

Forest type	Age (years)											
	1-20	21-40	41-60	61-80	81-100	101-120	121-140	141-160	161-180	181-200	201+	Other ¹
Treed Mixedwood	4.5	3.1	2.9	2.7	3.0	4.2	5.1	9.3	16.4	30.5	24.6	0.0
Treed Coniferous	4.0	2.6	2.6	2.2	2.0	1.9	2.0	2.9	5.1	5.9	3.4	0.0
Treed Broadleaf	5.4	3.6	3.5	3.3	3.4	5.6	10.8	15.9	33.9	33.9	35.4	0.0
Non-treed	26.4	32.0	37.4	32.8	22.4	23.4	47.8	58.2	99.9	99.6	100.0	2.7

Source: Canada's National Forest Inventory, **combined remeasured (2007-2017) and projected (2006-2017 with NFI projection system) data (Version 2, November 2022)** (<http://nfi.nfis.org>)

Note: The Arctic ecozones (Arctic Cordillera, Northern Arctic, Southern Arctic), and the Taiga Plains and Hudson Plains ecozones located in Nunavut, are not inventoried. These non-inventoried areas total 262,189.89 thousand ha.

¹Missing or unknown age class.